

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A system for effecting a transaction, including a head-end, a communications network, and a subscriber secure device,
a receiver, capable of
receiving digital information, including content data from the head-end through the network, and of making the content data available to a user on a display device, which receiver further includes an interface to ~~[[a]]~~ the subscriber secure device,
wherein the receiver is programmed to make a first code available on the display device, the first code uniquely identifying the subscriber secure device,
a client secure device, and
a terminal having a user interface for entering the first code, wherein the terminal is arranged to create a transaction token from the entered first code in co-operation with the client secure device, wherein the terminal includes
~~the system having the capability to create a transaction token, incorporating a first code uniquely identifying the subscriber secure device,~~
~~wherein the receiver is programmed to make the first code available on the display device, and~~
~~the system further includes~~
~~a terminal for creating a transaction token, including an interface to [[a]] the client secure device. device,~~
~~wherein the terminal includes a user interface for entering the first code, and is arranged to create the transaction token from the entered first code in co-operation with the client secure device.~~
2. (Currently Amended) A method of enabling a transaction, in a system including a head-end, a communications network, and a receiver, the method comprising:

~~capable of receiving digital information at the receiver, the digital information~~ including content data, wherein the digital information is received from the head-end through the network, and of
making a first code available to the user on the display device of the receiver,
receiving the first code at a terminal and creating a transaction token using the first code
and in co-operation with a client secure device, wherein the first code uniquely
identifies the secure subscriber device,
making the content data available to ~~[[a]] the user on a display device,~~
wherein the ~~which~~ receiver further includes an interface to ~~[[a]] the subscriber secure~~ device,
~~device, wherein a first code for creating a transaction token, uniquely identifying the~~
~~subscriber secure device, is made available to the user on the display device.~~

3. (Original) A method according to claim 2, wherein a second code, identifying a product to be ordered, and included in the content data, is made available to the user on the display device.

4. (Previously Presented) A computer program, when run on a system, including a receiver and a subscriber secure device, connected to the receiver through an interface, to enable the system to execute a method according to claim 2.

5. (Original) A system, including a receiver, capable of receiving digital information, including content data, from a head-end through a network, and a subscriber secure device, connected to the receiver through an interface, wherein the system is arranged to carry out a method according to claim 2.

6. (Original) A subscriber secure device, suitable for use in a system according to claim 5, wherein the subscriber secure device includes a further identification code, and is arranged to calculate the first code by encrypting the further identification code.

7. (Currently Amended) A terminal for creating a transaction token, including

an interface to a client secure device, and arranged to create a transaction token incorporating a first code, the first code uniquely identifying a subscriber secure device, wherein the terminal includes and a user interface for entering the first code, and wherein the terminal is arranged to create the transaction token from the entered first code in co-operation with the client secure device.

8. (Original) A terminal according to claim 7, including a user interface for entering a second code, identifying a product to be bought, wherein the terminal is arranged to incorporate the second code in the transaction token in co-operation with the client secure device.
9. (Original) A terminal according to claim 7, wherein the terminal is arranged to include a digital signature with the transaction token in co-operation with the client secure device.
10. (Original) A terminal according to claim 9, wherein the terminal includes a user interface for entering a personal identification code, and is arranged to generate the digital signature using the personal identification code in co-operation with the client secure device.
11. (Original) A terminal according to claim 7, wherein the terminal includes a user interface for entering further details of the transaction, and is arranged to incorporate the entered details in the token in co-operation with the client secure device.
12. (Original) A terminal according to claim 7, arranged to establish a communications link with an arbitrator system, and to transfer the token through the communications link to the arbitrator system.
13. (Original) A terminal according to claim 12, wherein the terminal is arranged to receive a confirmation of the transaction from the arbitrator system, and has the capability of indicating receipt of the confirmation to the user.

14. (Original) A client secure device, suitable for use in a terminal according to claim 7, and arranged to create at least part of the transaction token.

15. (Currently Amended) A computer program, including a plurality of computer-readable instructions, when executed by a machine, cause the machine to perform the method wherein when the computer program is run on a terminal including a client secure device and a user interface, to provides the system including the terminal and the client secure device with the functionality of a terminal according to claim 7.